

WHAT IS CLAIMED IS:

1. A method for operating a browser associated with an end-user, the method comprising:
 - receiving a request for end-user support;
 - determining a present navigation location for the end-user;
 - retrieving content from a content provider that corresponds to the determined present navigation location, wherein the retrieved content includes an embedded navigation link;
 - encoding the present navigation location;
 - encoding the embedded navigation link;
 - replacing the embedded navigation link included in the retrieved content with the encoding of the embedded navigation link;
 - providing a modified content to the end-user, wherein the modified content includes a portion of the retrieved content and includes the encoding of the embedded navigation link that replaced the embedded navigation link; and
 - providing the end-user support to the end-user;
 - wherein at least a representation of the modified content and the end-user support are simultaneously viewable by the end-user.
2. The method of claim 1, further comprising:
 - identifying the embedded navigation link.

3. The method of claim 1, wherein the retrieved content is provided in a first frame of a browser window and the end-user support is provided in a second frame of the browser window, and wherein the first frame and the second frame are simultaneously displayable within the browser window.
4. The method of claim 3, further comprising:
receiving at the first frame a notice of a navigation event that occurred at the second frame.
5. The method of claim 4, wherein receiving the notice comprises:
receiving an indication that the embedded navigation link has been selected by the end-user.
6. The method of claim 5, further comprising:
decoding the embedded navigation link;
passing the decoded embedded navigation link to the content provider;
receiving content corresponding to the decoded embedded navigation link; and
providing the received content to the end-user.
7. The method of claim 1, wherein providing the end-user support comprises:
providing automated end-user support.

8. The method of claim 1, wherein the embedded navigation link is associated with a first domain and the end-user support is associated with a second domain, and wherein encoding the embedded navigation link comprises:

changing one of the first domain and the second domain so that the embedded navigation link and the end-user support appear to originate from a common domain.

9. The method of claim 1, wherein the embedded navigation link is associated with a first transport protocol and the end-user support is associated with a second transport protocol, the method further comprising:

masking one of the first transport protocol and the second transport protocol so that content associated with the embedded navigation link and the end-user support appears to be subject to the same transport protocol.

10. The method of claim 1, wherein the embedded navigation link is a first embedded navigation link and wherein the first navigation link is associated with a first domain and wherein the retrieved content includes a second navigation link associated with a second domain, the method further comprising:

providing the second navigation link to the end-user without encoding.

11. The method of claim 10, wherein providing the second navigation link comprises:

passing the second navigation link directly to an associated content provider responsive to selection of the second navigation link by the end-user.

12. The method of claim 10, wherein providing the second navigation link comprises:
- forwarding the second navigation link to an associated content provider
- responsive to selection of the second navigation link by the end-user.

09/14/2017 09:44:36 "09:44:36"

13. A system for providing content to a browser, wherein a first content portion originates from a first domain and a second content portion originates from a second domain, the system comprising:
- an automated support system; and
 - an annotation server connected to the automated support system;
 - wherein the annotation server is configured to cause the first content portion and the second content portion to appear as if they both originated from a common domain.
14. The system of claim 13, wherein the common domain is a third domain.
15. The system of claim 13, wherein the automated support system comprises:
- a profiler application.
16. The system of claim 15, wherein the profiler application comprises:
- a roles module; and
 - a skills module in communication with the roles module.
17. The system of claim 13, wherein the automated support system comprises:
- a resource data module.
18. The system of claim 17, wherein the resource data module comprises:
- a dialogue module; and

a social skill module.

19. The system of claim 13, wherein the annotation server comprises:

instruction memory;

a processing device connected to the instruction memory; and

plurality of instructions configured to cause the processing device to:

receiving data from a content provider, wherein the received data includes

a plurality of embedded links;

identifying each of the plurality of embedded links;

encoding a first of the plurality of embedded links; and

providing to an end-user the encoded first of the plurality of embedded

links;

wherein the first of the plurality of embedded links is encoded responsive to the first of the plurality of links being associated with a first domain.

094436-03101
T.07E30-9E344560

20. A method for displaying content in a browser window, the method comprising:
- receiving data from a content provider, wherein the received data includes a plurality of embedded links;
 - identifying each of the plurality of embedded links;
 - encoding a first of the plurality of embedded links; and
 - providing for display in the browser window at least a representation of at least a portion of the received data;
- wherein the first of the plurality of embedded links is encoded responsive to the first of the plurality of links being associated with a first domain.
21. The method of claim 20, wherein the encoding comprises:
- encoding the first of the plurality of embedded links so that the first of the plurality of links appears to be associated with a second domain;
 - wherein the second domain is different from the first domain.
22. The method of claim 20, further comprising:
- receiving a request for end-user support;
 - determining a present navigation location associated with the browser; and
 - passing a fetch request to the content provider for data related to the present navigation location.
23. The method of claim 20, further comprising:

providing for display in the browser window an interactive content;
wherein the interactive content originates from a second domain.

24. The method of claim 23, wherein the encoding comprises:
encoding the first of the plurality of links so that it appears to have originated
from the second domain.

09443-084450

25. A method for displaying content in a browser window, the method comprising:
- receiving data from a content provider, wherein the received data includes a plurality of embedded links;
 - identifying each of the plurality of embedded links;
 - encoding a first of the plurality of embedded links; and
 - providing for display in the browser window at least a representation of at least a portion of the received data;
- wherein the first of the plurality of embedded links is encoded responsive to the first of the plurality of links being associated with a first domain.
26. The method of claim 25, wherein the encoding comprises:
- encoding the first of the plurality of embedded links so that the first of the plurality of links appears to be associated with a second domain;
 - wherein the second domain is different from the first domain.
27. The method of claim 25, further comprising:
- receiving a request for end-user support;
 - determining a present navigation location associated with the browser;
 - passing a fetch request to the content provider for data related to the present navigation location.
28. The method of claim 25, further comprising:

providing for display in the browser window an interactive content;

wherein the interactive content originates from a second domain.

29. The method of claim 25, wherein the encoding comprises:
encoding the first of the plurality of links so that it appears to have originated
from the second domain.

09443634460
T0T30"3E34460

30. A system for providing end-user support, the system comprising:

an end-user support knowledge database;

an automated support server in communication with the end-user support knowledge database; and

a secondary support system in communication with the end-user support knowledge database;

wherein both the automated support server and the secondary support system are configured to access the end-user support knowledge database to provide end-user support.

31. The system of claim 30, further comprising:

a data collection module in communication with the end-user support knowledge database, the automated support server, and the live support system.

32. The system of claim 31, further comprising:

a report and analysis module in communication with the end-user support knowledge database.

33. The system of claim 30, further comprising:

an annotation server in communication with the automated support server.

34. The system of claim 33, further comprising:

a content provider in communication with the automated support server.

35. The system of claim 30, wherein the secondary support system comprises a live support system.

FOR E30-4E34660

36. A system for providing end-user support, the system comprising:
- an end-user support knowledge database;
 - an automated support server in communication with the end-user support knowledge database; and
 - a data collection module in communication with the end-user support knowledge database and the automated support server.
37. The system of claim 36, further comprising:
- a report and analysis module in communication with the end-user support knowledge database.
38. The system of claim 36, further comprising:
- an annotation server in communication with the automated support server.
39. The system of claim 38, further comprising:
- a content provider in communication with the automated support server.